





Folding cabinets

Folding cabinets are less expensive alternative to ECO cabinets, with the same standards and functionality.

They are made of 0.7 mm thick, powder coated, hot-dip galvanized steel, and are equipped with a plastic lock.

The cabinets are packed in easy to handle small boxes allowing for savings on the shipping cost.

The installation of the cabinets is quick and easy thanks to their original construction and special snap lock applied to the cabinet body.

Simple and fast installation!





Pipe straightener

Pipe straightener can be used for straightening multilayer pipes in diameter up to 26 mm.

It is designed to be mounted on the pipe decoiler's trolley. Specially designed plastic rollers protect the pipe from damage.

The rollers are mounted on ball bearings with adjustable pressure setting to allow for smooth and continuous operation.

- Dimensions 180x180x135 mm
- Weight 2,2 kg



Inspection frame

The frame is made of 1.0 mm thick stainless steel and it is fully adjustable: width between 200-520 mm, and height between 200-620 mm.


Included with the frame is a special fiberglass mesh board, which provides extra adhesion for tiles and acts as an access opening.

The fiberglass mesh board is held by neodymium magnets to allow for the depth adjustments.


Plastic elements imitating grout are installed on the frame to cover any gaps between tiles.

The access opening frame can be removed with a rubber suction cups.

Frame open



Frame closed







Zdrojowa 22 Str. 16-001 Białystok-Kleosin POLAND

phone: +48 (0) 85 868 16 02 fax: +48 (0) 85 868 16 03 e-mail: kanex@kanex.com.pl

www.kanex.com.pl